

Ohio Attorney General's Office Bureau of Criminal Investigation

Investigative Report

2025-1227

Officer Involved Critical Incident - 4411 Montgomery Road, Norwood, Ohio (Hamilton County) (L)



Investigative Activity: Interview of Paramedic Mark Porter

Involves: Akeem Holtz
Activity Date: 04/16/2024

Activity Location: 4725 Montgomery Rd. Norwood Oh 45212

Authoring Agent: SA Kenneth J. Smith

Narrative:

On Wednesday, April 16, 2025, at 1555 hours, Ohio Bureau of Criminal Investigation (BCI) Special Agent (SA) Kenneth Smith (SA Smith) interviewed Paramedic Mark Porter (Porter), of the Norwood Fire department (NFD), relative to the officer-involved critical incident which took place on Wednesday, April 16, 2025. The interview took place at Norwood Fire Department 4725 Montgomery Rd., Norwood Oh 45212. Also present during the interview were Assistant Chief Brodie Cianciolo and Firefighter Dan Siciliano. The purpose of the interview was to obtain all relevant information of the incident known or observed by this individual regarding their response to the incident scene.

Paramedic Mark Porter has worked for Norwood Fire for just under four years with two years as a medic. He advised that they were dispatched to 4411 Montgomery Rd. for a psych run. After reading through the dispatch notes, they called and made sure that the Polic had been dispatched as well. Porter stated that the Polic were already on scene, so they staged in the front lot on the Montgomery Road side of 4411. They then pulled around on Courtland near the parking garage to be able to respond to the second floor where the call was. One of the officers yelled from the second floor that it was better for the Medics to drive around to the other side of the building where the police cars and the scene ended up being. They drove around, parked and waited for the PD to direct them where to go. At the time they still hadn't received any information of what was going on or where the subject was. They were eventually notified that the patient was upstairs on the second floor in the elevator. They were advised that there was also a female subject on scene, and they were all barricaded in the elevator with several aggressive dogs. They remained staged with their first in bag, drug bag and the cot and moved towards the door. At the door they could see an altercation upstairs and an officer came down with a bite wound on his right forearm. They treated that wound and then were requested to go upstairs and chemically sedate the subject. When they arrived upstairs the subject was handcuffed on the ground. The PD had notified them that they had used pepper spray. The subject was laying

This document is the property of the Ohio Bureau of Criminal Investigation and is confidential in nature. Neither the document nor its contents are to be disseminated outside your agency except as provided by law - a statute, an administrative rule, or any rule of procedure.



Ohio Attorney General's Office **Bureau of Criminal Investigation**

Investigative Report

2025-1227



Officer Involved Critical Incident - 4411 Montgomery Road, Norwood, Ohio (Hamilton County) (L)

partially on his side and stomach. Prior to responding upstairs, the medics had prepared 5mg of Versed in a syringe for the subject. Paramedic Schmidt administered the Versed in the subject's posterior left thigh. They then advised the PD that they needed to immediately roll the subject over to protect his airway. The subject was set upright, leaning against the wall, and they observed that he was breathing and had a pulse. Schmidt asked Porter to go get the oxygen bag as a precaution. Porter retrieved it and came back up to the second floor. They prepared to load him onto the cot. They had called for Engine 2 when they had sedated the subject, and the Engine had brought the cot to the second floor. The subject was placed on the cot and had some blood on his right nostril from the altercation. They began moving towards the squad and but the subject on a bag valve mask to protect his airway. Once in the ambulance, the subject was hooked up to the cardiac monitor. The subject's pulse was "all over the place. At one point the monitor read,

Schmidt and Porter were in the back with the subject while Paramedic Phil Reed drove them to the hospital. The subject was hooked up to another monitor to monitor his breathing and they ended up to assist his breathing. At one point Schmidt noticed that the subject's nd made the suggestion that they start CPR. They performed a pulse check and agreed on CPR. They began compressions as they were getting off of Interstate 71 to Martin Luther King Drive, so they knew they were close to the hospital. Schmidt was doing compressions and Porter was breathing for the subject with the bag valve mask. They arrived at the hospital and passed care for the subject over to UC Medical staff in the parking lot. They followed inside and advised of the care administered including the Versed and when they had started CPR. SA Smith asked Porter at what point the subject had gone unconscious. Porter responded that the subject was conscious at the scene and that it was in the middle of the transport he became unconscious. The subject made no statements during treatment. SA Smith asked about the severity of the bite wound to the officer. There were definitely distinguishable teeth marks,

The interview concluded at approximately 1607 hours.

The interview was audio recorded. The recording was attached to this report. Please see the attachment for further details.

The Norwood Fire Department was served with a Hamilton County Grand Jury Subpoena for records associated with the response on April 16, 2025.

See attached records for details.

This document is the property of the Ohio Bureau of Criminal Investigation and is confidential in nature. Neither the document nor its contents are to be disseminated outside your agency except as provided by law - a statute, an administrative rule, or any rule of procedure.



Ohio Attorney General's Office Bureau of Criminal Investigation

Investigative Report





References:

None

Attachments:

2025-04-16 Norwood Paramedic Mark Porter Interview

NFD HamCo Subpoena

Norwood Treatment Records

ECG 4.16.25 No 1

ECG 4.16.25 No 2

ECG 4.16.25 No 3

ECG 4.16.25 No 4


ECG 4.16.25 No 5

ECG 4.16.25 No 6

This document is the property of the Ohio Bureau of Criminal Investigation and is confidential in nature. Neither the document nor its contents are to be disseminated outside your agency except as provided by law - a statute, an administrative rule, or any rule of procedure.

Exhibit 1

Included as a separate file.





CONNIE PILLICH HAMILTON COUNTY PROSECUTING ATTORNEY

ADMINISTRATIVE DIVISION
230 EAST NINTH STREET, SUITE 4000
CINCINNATI, OH 45202-2151
PHONE: (513) 946-3000
FAX: (513) 946-3100
WWW.HCPROS.ORG
WRITER'S DIRECT DIAL NUMBER
(513) 946-3250
KEITH.WITHERELL@HCPROS.ORG

April 22nd, 2025

Norwood Fire Department Attn: Chief Tom McCabe 4725 Montgomery Road Norwood, Ohio 45212

Re: Grand Jury Subpoenas

Dear Sir:

Enclosed, please find a Grand Jury Subpoena for records. The requested information can be provided to:

The Hamilton County Prosecutor's Office located at 230 East Ninth Street Cincinnati, Ohio 45202 in care of Detective Keith Witherell.


If you have any questions regarding the subpoena, please contact me at 513-946-3250 or keith.witherell@hcpros.org


Respectfully,

Keith Witherell

Detective

KW:KW Enclosure





Aiddle Initial/Name: First Name: Akeem Address: 624 Damascus Dr, Springfield, Ohio 45506, C County	Gender: Male Race: Black or African American Age: 40 Years lark Birth Date: 06/28/1984	Last 4 SSN
Patient Situation		
Symptom Onset Date & Time: Not Recorded		Possible Injury: No
Compliant Type	Complaint	Duration
Chief (Primary)	None voiced	
CC Anatomic Location: General/Global CC Organ System: Behavioral/Psychiatric Primary Symptom: Psych/Behavioral Emergency Primary Provider Impressions: Psych/Behavioral Emergency		Secondary Provider Impressions: Not Recorded Initial Patient Acuity: Emergent (Yellow) Last Known Well Date & Time: Not Applicable Cardiac Arrest:
Arrest Information Arrest At Dat AED Prior to Witnessed By Resuscitation Type CPR Pro First Monitor		
<u> </u>		Medication Allernies
Patient History Alcohol Drugs use Indicators: Unable to Complete Medical/Surgical History: Unable to Complete		Medication Allergies: Unable to Complete
Unable to Complete Medical/Surgical History:		

Page: 1 of 6

EMS Care Report	Norwood FD OH
Incident Number:	Address: 4725 Montgomery Rd, Norwood, Hamilton County, Ohio, 45212
EMS Response Nu	Incident Date/Time: 04/16/2025 10:53:57
Patient Care Report Number	
Procedures	
Not Recorded	
Medications	
Narrative	
- -	
A. Schmidt 376	
	Last update on 04/22/2025 09:45:07 by
1	

Incident Number:

EMS Response Number:

Patient Care Report Number

Page: 2 of 6

EMS Care Report

EMS Response Number

Norwood FD OH

Incident Number: Address: 4725 Montgomery Rd, Norwood, Hamilton County, Ohio, 45212

Incident Date/Time: 04/16/2025 10:53:57

Patient Care Report Numbe

Response Information

Response Times

PSAP Call Date/Time: Dispatch Notified Date/Time: Unit Notified by Dispatch Date/Time: Dispatch Acknowledged Date/Time: Unit En Route Date/Time: Unit Arrived on Scene Date/Time:

04/16/2025 10:43:15 04/16/2025 10:45:03 04/16/2025 10:53:57 04/16/2025 10:53:57 04/16/2025 10:53:57 04/16/2025 11:01:36 Arrived at Patient Date/Time: Transfer of EMS Patient Care Date/Time: Unit Left Scene Date/Time: Patient Arrived at Destination Date/Time: **Destination Patient Transfer of Care** Date/Time:

Not Applicable 04/16/2025 11:40:26 04/16/2025 11:47:43 04/16/2025 11:48:00

04/16/2025 11:25:00

Unit Back in Service Date/Time: 04/16/2025 13:51:05

General Information

Incident Address: 4411 MONTGOMERY RD, NORWOOD, Hamilton County, 45212 Type of Service Requested:

Emergency Response (Primary Response Area) Unit Transport and Equipment Capability: Ground Transport (ALS Equipped) Dispatch Reason:

Psychiatric Problem/Abnormal Behavior/Suicide Attempt

EMS Vehicle Unit Number: MG19 EMS Unit Call Sign: Shift:

Incident Location Type: Store Response Mode to Scene: Non-Emergent Additional Response Mode Descriptors: No Lights or Sirens Type of Dispatch Delay: None/No Delay Type of Response Delay: None/No Delay Type of Scene Delay: None/No Delay

Type of Transport Delay: None/No Delay

Type of Turn Around Delay: None/No Delay Beginning Odometer Reading: On-Scene Odometer Reading:

Patient Destination Odometer Reading: Ending Odometer Reading:

First Ems on Scene:

Crew Members

Crew Member	Certification	State License ID Number	Response Role	Protective Equipment	Injury Exposure Type
Mark Porter	Paramedic	188204			
Andy Schmidt	Paramedic	129484			

Disposition Information

Destination

Destination Name: LIC Medical Center Destination GPS Location: Destination Street Address: 3188 BELLEVUE AVE Destination ZIP Code:

Destination Country:



Incident Number


EMS Response Number: Patient Care Report Number. Page: 3 of 6

EM:	S Care Report	Norwood FD Or
incide	ent Number:	Address: 4725 Montgomery Rd, Norwood, Hamilton County, Ohio, 4521
EMS	Response N	Incident Date/Time: 04/16/2025 10:53:5
Patie	nt Care Report Number:	
Billi	ng	
	Patient Resides Service Area: Not a Resident Within EMS Service Area	
	Primary Method of Payment: Not Recorded	CMS Service Level: Not Recorded

Incident Number: NORF

EMS Response Number
Patient Care Report Number:

Page: 4 of 6



EMS Care Report
Incident Number:
EMS Response Number:
Patient Care Report Number:

Norwood FD OH

Address: 4725 Montgomery Rd, Norwood, Hamilton County, Ohio, 45212


Incident Date/Time: 04/16/2025 10:53:57

Incident Number:

EMS Response Number:

Patient Care Report Number:

Page: 6 of 6



CASE SUMMARY

 Name:
 Device:
 LP15 48828613 NORWOOD MG19


 Patient ID:
 Device Configuration:
 2LJL5RRB82BBUR

 Incident ID:
 Software Revision:
 3313494-018, LIFENET® 7.7.0

Transmitting Agency: City of Norwood FD (Norwood, OH)

2025-04-16 11:45:43 12-Lead 3






T

© Stryker 2006-2024

To ensure printer accuracy, confirm that the calibration markers are 10mm high and the grid squares are 5mm wide.

Page: 7 of 9



CASE SUMMARY

 Name:
 Device:
 LP15 48828613 NORWOOD MG19

 Patient ID:
 Device Configuration:
 2LJL5RRB82BBUR

 Incident ID:
 Software Revision:
 3313494-018, LIFENET® 7.7.0

Transmitting Agency: City of Norwood FD (Norwood, OH)

2025-04-16 11:42:43 12-Lead 2




I	II	III	aVR	aVL	aVF	V1	V2	V3	V4	V5	V6
o)s			ST measure	ments are m	neasured at	the J point	and are exp	oressed in m	nm.		
	42		12		2						

© Stryker 2006–2024

To ensure printer accuracy, confirm that the calibration markers are 10mm high and the grid squares are 5mm wide.

Page: 5 of 9




CASE SUMMARY

Name: Device: LP15 48828613 NORWOOD MG19
Patient ID: Device Configuration: 2LJL5RRB82BBUR
Incident ID: Software Revision: 3313494-018, LIFENET® 7.7.0

Transmitting Agency: City of Norwood FD (Norwood, OH)


2025-04-16 11:40:05 12-Lead 1



© Stryker 2006–2024


To ensure printer accuracy, confirm that the calibration markers are 10mm high and the grid squares are 5mm wide.

Page: 3 of 9




12-Lead 1

Name; Delice; LP15 480 28513 NCR#COD MG19 Transmissing Agency; City of Norwood FD (Norwood, CH)
Patient ID; Delice Configuration; 2 JUS pros 280 LIR
Indident ID; Software partition; 231349 4018, UFENETO 7,7,0



ST measurements are measured at the J point and are expressed in mm.



12-Lead 2

Name; Dedice Up'ls 480 28513 NCRM/CCD MG19 Transmitting Aginty; City of Novercod FD (Novercod, CH) patient ID; Dedice Configuration; 2 (Jis president); Software parkitor; 231349 4018, UPENETO 7,7,0




I	II	III	aVR	aVL	aVF	V1	V2	V3	V4	V5	V6
-			ST measurer	nents are n	neasured at	the I point	and are ext	ressed in m	ım.		

© Stryber 2005-2024

To ensure printer accuracy, confirm that the calibration markers are 10mm high and the grids quarter are 5mm wide,

Page 1 of 1



12-Lead 3

Name; Dedice Lpris 488 28613 NORMOCO Mig 19 Transmitting Agency; City of Norwood FD (Norwood, CH) patient in; Dedice Configuration; 2 (Justice Software gention; 231349 4018, UPSNETD 7,7,0



I	II	Ш	aVR	aVL	aVF	V1	V2	V3	V4	V5	V6
9			ST measuren	nents are n	neasured at	the I point	and are exp	ressed in m	ım.		

© Stryber 2005-2024

To ensure printer accuracy, confirm that the calibration markers are 10mm high and the grids quarter are 5mm wide,

Page; 1 of 1