

██████████ - 33 - HIGH-RISK - PERSON WITH A GUN - HIGH RISK
6382 GEORGES CREEK DR CBUS FRA

EVENT INFORMATION

05/16/24

Event Type : 33; Event ID : ██████████ Priority : 1; Status : A; Source : ANI/ALI; DGroup : CPDZ2;
Disposition Code : 4,4V,4V,2,2,4,4,4V,4,2V,2V,2,2V,4V; Terminal : cad fa02 pt16; Calltaker ID: ██████████

AGENCY INFORMATION

Agency : CPD; Priority : 1; DGroup : CPDZ2; ESZ : 92031; Area : 203; Added : 05/16/24 04:02:35;
Dispatched : 05/16/24 04:03:23; Arrived : 05/16/24 04:16:44; Event ID : ██████████ Primary Unit : 9142E;

REMARKS

05/16/24 04:02:35 (cad fa0 2 pt16) : UNCLE IN THE HOUSE WITH A 33 THREATENING TO KILL EVERYONE IN THE HOUSE AND OR HIMSELF
05/16/24 04:02:42 (cad fa0 2 pt16) : HES PUTTING THE 33 TO HIS HEAD
05/16/24 04:03:07 (cad fa0 2 pt16) : SUSP RAPHAEL MB WHT TANK TOP BLK ADIDAS PANTS
05/16/24 04:03:12 (cad fa0 2 pt16) : SUSP IS 21 YOA
05/16/24 04:03:15 (cad fa0 2 pt16) : ITS HIS BIRTHDAY
05/16/24 04:03:21 (cad fa0 2 pt16) : HES BEEN DRINKING
05/16/24 04:03:37 (cad fa0 2 pt16) : HES ALSO THROWING STUFF AROUND THE HOUSE
05/16/24 04:03:45 (cad fa0 2 pt16) : NO KNOWN 16B DIAGNOSIS
05/16/24 04:03:48 (cad fa0 2 pd02) : AIRED FOR S14C
05/16/24 04:03:57 (cad fa0 2 pt16) : RRU GONE FOR THE NIGHT
05/16/24 04:04:02 (cad fa0 2 pt16) : HIS MOM RECENTLY PASSED AWAY
05/16/24 04:04:09 (cad fa0 2 pt16) : HES OUTSIDE RIGHT NOW SCREAMING
05/16/24 04:04:11 (cad fa0 2 pt16) : STILL HAS THE 33
05/16/24 04:04:12 (cad fa0 2 pd02) : S9C COPIES
05/16/24 04:04:34 (cad fa0 2 pt16) : SUSP IS SHORT AND THIN BUILD
05/16/24 04:07:01 (cad fa0 2 pd02) : ██████████ 3 CARS GOING IN
05/16/24 04:08:21 (cad fa0 2 pt16) : SUSP IS OUTSIDE THE FRONT DOOR BANGING AND YELLING
05/16/24 04:08:48 (cad fa0 2 pd02) : ██████████ HOLD THE AIR HAVE HIM IN THE BACK
05/16/24 04:09:01 (cad fa0 2 pd02) : Alarm Timer E tended: 0
05/16/24 04:09:01 (cad fa0 2 pd02) : Alarm Timer E tended: 0
05/16/24 04:09:26 (cad fa0 2 pd02) : ██████████ SHOTS FIRED
05/16/24 04:09:57 (cad fa0 2 pd02) : CARS COMING WATCH CRUSIER FRONT OF THE COMPLEX
05/16/24 04:10:07 (cad fa0 2 pd03) : CFD ADV
05/16/24 04:10:15 (cad fa0 2 pd02) : S9C HAVE 24 ON STANDBY
05/16/24 04:10:27 (cad fa0 2 pd06) : 24 ADV
05/16/24 04:10:28 (cad fa0 2 pt16) : CALLER BELIEVES HER FRONT DOOR IS UNLOCKED IF OFCRS NEED TO COME INSIDE
05/16/24 04:10:58 (cad fa0 2 pc04) : Duplicate EventLocation LL(82:49:38,8991,39:52:39.3310); EST AMOS LYNCH ST/GEORGES CREEK DR CBUS FRA, Type 43A SHOTS FIRED, Caller Name AT&T MOBILITY, Caller Ph Number ██████████, Caller Address 39 GENDER RD N SECTOR CANAL WINCHESTER, Call Source ANI/ALI, Alarm Level 0
05/16/24 04:10:58 (cad fa0 2 pc04) : HEARING SHOTS FIRED..CALLER WAS ADV IT'S THE POLICE
05/16/24 04:10:58 (cad fa0 2 pc04) : ARE ON GEORGES CREEK DR
05/16/24 04:10:58 (cad fa0 2 pc04) : End of Duplicate Event data
05/16/24 04:11:12 (cad fa0 2 pd02) : ██████████ 24 ADV GO IN 43 SELF INFLICTED
05/16/24 04:12:25 (cad fa0 2 pd02) : OFC WERE INV
05/16/24 04:12:33 (cad fa0 2 pd02) : NEED OFC SUPPORT

05/16/24 04:12:43 (cad-fa0 : [REDACTED] - CLEARING RESD
2-pd02)

05/16/24 04:13:54 (cad-fa0 : MWSPL2 -- NEED SCENE TAPE
2-pd02)

05/16/24 04:14:11 (cad-fa0 : S9C -- NEED COMMAND BUS
2-pd02)

05/16/24 04:15:42 (cad-fa0 : 9200E -- 24 NEED GO TO THE REAR
2-pd02)

05/16/24 04:16:15 (cad-fa0 : SGT MCCONNELL ADV FOR BCI
2-pd33)

05/16/24 04:16:17 (cad-fa0 : 9091E -- IS OFC SUPPORT
2-pd02)

05/16/24 04:16:29 (cad-fa0 : CMDR MCFADDEN ADV
2-pd33)

05/16/24 04:16:41 (cad-fa0 : 94C -- OUT FRONT
2-pd02)

05/16/24 04:16:49 (cad-fa0 : S9C -- RENDERING AID
2-pd02)

05/16/24 04:17:53 (cad-fa0 : 61C GOING TO GET MOBILE SUB
2-pd01)

05/16/24 04:18:33 (cad-fa0 : 61C ON A 60
2-pd01)

05/16/24 04:18:38 (cad-fa0 : Alarm Timer Extended: 0
2-pd02)

05/16/24 04:18:38 (cad-fa0 : Alarm Timer Extended: 0
2-pd02)

05/16/24 04:18:38 (cad-fa0 : Alarm Timer Extended: 0
2-pd02)

05/16/24 04:18:38 (cad-fa0 : Alarm Timer Extended: 0
2-pd02)

05/16/24 04:18:39 (cad-fa0 : Alarm Timer Extended: 0
2-pd02)

05/16/24 04:18:39 (cad-fa0 : Alarm Timer Extended: 0
2-pd02)

05/16/24 04:18:39 (cad-fa0 : Alarm Timer Extended: 0
2-pd02)

05/16/24 04:18:39 (cad-fa0 : Alarm Timer Extended: 0
2-pd02)

05/16/24 04:18:39 (cad-fa0 : Alarm Timer Extended: 0
2-pd02)

05/16/24 04:18:39 (cad-fa0 : Alarm Timer Extended: 0
2-pd02)

05/16/24 04:18:39 (cad-fa0 : Alarm Timer Extended: 0
2-pd02)

05/16/24 04:18:40 (cad-fa0 : Alarm Timer Extended: 0
2-pd02)

05/16/24 04:19:03 (cad-fa0 : 9091E -- CHANGED LOCATION TO @SUB 14: W/ INV OFC
2-pd02)

05/16/24 04:19:12 (cad-fa0 : 620X -- CHANGED LOCATION TO @SUB 14
2-pd02)

05/16/24 04:19:17 (cad-fa0 : DC WEINER ADVISED
2-pd33)

05/16/24 04:19:44 (cad-fa0 : Preempt:CAD AUTOMATIC PREEMPT Unit S11C
2-pd02)

05/16/24 04:19:50 (cad-fa0 : S11C -- CHANGED LOCATION TO @SUB 14
2-pd02)

05/16/24 04:20:14 (cad-fa0 : 202C -- NEED CRUSIER TO BACK OF THE SCENE
2-pd02)

05/16/24 04:20:16 (cad-fa0 : Alarm Timer Extended: 0
2-pd01)

05/16/24 04:20:17 (cad-fa0 : Alarm Timer Extended: 0
2-pd01)

05/16/24 04:21:29 (cad-fa0 : 141C -- IN REAR OF THE L
2-pd02)

05/16/24 04:22:32 (cad-fa0 : S9C -- NEED 2 CRUSIERS IN REAR OF ADDRESS
2-pd02)

05/16/24 04:22:43 (cad-fa0 : 140C -- IN THE REAR W/ 141C
2-pd02)

05/16/24 04:22:59 (cad-fa0 : 9200E -- M32 PRON 432
2-pd02)

05/16/24 04:23:18 (cad-fa0 : **422
2-pd02)

05/16/24 04:23:26 (cad-fa0 : S14C -- 1 DETAINED IN R200 AND 94
2-pd02)

05/16/24 04:24:58 (cad-fa0 : Alarm Timer Extended: 0
2-pd02)

05/16/24 04:24:58 (cad-fa0 : Alarm Timer Extended: 0
2-pd02)

05/16/24 04:26:08 (cad-fa0 : Alarm Timer Extended: 0
2-pd02)

05/16/24 04:28:43 (cad-fa0 : 141C -- HAS GUARD LOG
2-pd02)

05/16/24 04:29:55 (cad-fa0 : L2C -- HAVE MOBIE SUB PARK GEORGES CREEK/GENDER
2-pd02)

05/16/24 04:30:02 (cad-fa0 : Preempt:CAD AUTOMATIC PREEMPT Unit 620X
2-pd02)

05/16/24 04:30:13 (cad-fa0 : 629X -- MEDIA ON SCENE
2-pd02)

05/16/24 04:30:20 (cad-fa0 : 620X -- CHANGED LOCATION TO @SUB 14
2-pd02)

05/16/24 04:31:31 (cad fa0 : Alarm Timer E tended: 0
2 pd02)

05/16/24 04:31:31 (cad fa0 : Alarm Timer E tended: 0
2 pd02)

05/16/24 04:32:49 (cad fa0 : MWSPL2 BOTH HAVLES OF 208 ARE OFC SUPPORT BUT NEED SOMEONE TAKE CONTROL OF PERSON IN WA
2 pd02) : GIB

05/16/24 04:32:52 (cad fa0 : WAGON
2 pd02)

05/16/24 04:33:32 (cad fa0 : L2C EVER ONE ON SCENE GOING TO 2A
2 pd02)

05/16/24 04:38:46 (cad fa0 : 143C NEED 24 FOR PREXISITING INJ
2 pd02)

05/16/24 04:40:09 (cad fa0 : 24 ADV FEM IS IN 208 RIGHT BY THE ENTRANCE
2 pd02)

05/16/24 04:40:19 (cad fa0 : S9C SGT MCCONNELL ADV
2 pt08)

05/16/24 04:41:57 (cad fa0 : Alarm Timer E tended: 0
2 pd02)

05/16/24 04:41:57 (cad fa0 : Alarm Timer E tended: 0
2 pd02)

05/16/24 04:44:08 (cad fa0 : Alarm Timer E tended: 0
2 pd06)

05/16/24 04:44:14 (cad fa0 : **MOBILE SUB ENRT FROM 1 PCT *****
2 pt08)

05/16/24 04:45:23 (cad fa0 : Alarm Timer E tended: 0
2 pd02)

05/16/24 04:45:28 (cad fa0 : Preempt:CAD AUTOMATIC PREEMPT Unit 202C
2 pt08)

05/16/24 04:49:29 (cad fa0 : S9C GENDER RD / GEORGES CREEK ** INTERSECTION WILL BE CLOSED
2 pt08)

05/16/24 04:52:38 (cad fa0 : 90C CHANGED LOCATION TO GENDER/CHELS: NO SB GENDER
2 pt08)

05/16/24 04:54:24 (cad fa0 : 9142E DID A XPORT TO THE SUB FROM THE SCENE
2 pt08)

05/16/24 04:58:57 (cad fa0 : S14C MEDIA ON SCENE
2 pt08)

05/16/24 05:02:32 (cad fa0 : PER SGT MCONNELL BCI WAS ADVISED AT 451A AND THEY ARE RESPONDING
2 pd33)

05/16/24 05:03:44 (cad fa0 : 143C CHANGED LOCATION TO GEND/GENDER PARK
2 pt08)

05/16/24 05:03:59 (cad fa0 : 143C CHANGED LOCATION TO GEND/GEND
2 pt08)

05/16/24 05:05:26 (cad fa0 : S9C 141C **HAS THE GUARD LOG
2 pt08)

05/16/24 05:14:01 (cad-fa0 : Alarm Timer Extended: 0
2-pd02)

05/16/24 05:14:02 (cad-fa0 : Alarm Timer Extended: 0
2-pd02)

05/16/24 05:14:02 (cad-fa0 : Alarm Timer Extended: 0
2-pd02)

05/16/24 05:24:59 (cad-fa0 : 9091E -- CHANGED LOCATION TO @MT CAR
2-pt08)

05/16/24 05:25:24 (cad-fa0 : L6C -- CHANGED LOCATION TO @MT CAR
2-pt08)

05/16/24 05:48:38 (cad-fa0 : COTA RADIO ADV AND BUS GARAGE ALSO
2-pd09)

05/16/24 05:52:48 (cad-fa0 : Alarm Timer Extended: 0
2-pd06)

05/16/24 06:06:58 (cad-fa0 : **WITNESSES IN 208C AND 94C**
2-pt08)

05/16/24 06:08:58 (cad-fa0 : Alarm Timer Extended: 0
2-pd02)

05/16/24 06:08:58 (cad-fa0 : Alarm Timer Extended: 0
2-pd02)

05/16/24 06:19:56 (cad-fa0 : S9C -- OPENING THE MAIN DRAG OF GEORGES CREEK FOR RESIDENTS TO GO TO WORK .. WILL GO SB ON GE
2-pt08) : NDER

05/16/24 06:24:53 (cad-fa0 : **PER S9C **SCHOOL BUSES WILL HAVE TO COME NB GENDER FROM SOUTH OF**
2-pt08)

05/16/24 06:25:13 (cad-fa0 : **GEORGES CREEK AND PICK UP THE CHILDREN AT THE COMMAND POST**
2-pt08)

05/16/24 06:31:10 (cad-fa0 : 9200D -- CHANGED LOCATION TO PEN/GEN
2-pd02)

05/16/24 06:31:14 (cad-fa0 : 90C -- CHANGED LOCATION TO GEN/PIN
2-pt08)

05/16/24 06:31:17 (cad-fa0 : 9200D -- CHANGED LOCATION TO PIN/GEN
2-pd02)

05/16/24 06:45:26 (\$9091E): Device 753716/Radio Alias/Default System added.

05/16/24 06:45:26 (\$9091E): Device 2553 WHITLOW /HT Radio/Default System added for employee [REDACTED]

05/16/24 06:45:26 (\$9091E): Device 00037A07/MDT/Default System added for employee [REDACTED]

05/16/24 06:45:26 (\$9091E): Tracking device 00037A07/MDT/Default System set.

05/16/24 06:54:58 (cad-fa0 : ***GUARD LOG IFO 208C
2-pt08)

05/16/24 07:16:03 (cad-fa0 : ****GYUARD LOG IS NOW W/ 51A
2-pt08)

CROSS REFERENCED EVENTS

Event	Agency	DGroup	Event Type	Event Subtype	Date Cross Referenced	Location
F24077941	CFD	CFD	SH	default	05/16/24 04:10:28	6382 GEORGES CREEK DR CBUS FRA
F24077942	CFD	CFD	SH	default	05/16/24 04:10:58	6382 GEORGES CREEK DR CBUS FRA
F24077946	CFD	CFD	INJ	default	05/16/24 04:39:56	6382 GEORGES CREEK DR CBUS FRA

CALLER INFORMATION


Name: [REDACTED]
Phone: [REDACTED]
Address: 4361 BRICE RD CANAL WINCHESTER

LOCATION INFORMATION

6382 GEORGES CREEK DR CBUS FRA

X-STREET 1: BANNEKER ST
X-STREET 2: GENDER RD

[Location Choices](#)



SUPPLEMENTAL INFORMATION

Person 0
Vehicle 0
Property 0
Contact Name 0
Incident Times 0