



THE VEHICLE IS COVERED BY ONE
OF THE FOLLOWING RATINGS

UNITED STATES	
1.00.000	1.00.000
1.00.000	1.00.000
1.00.000	1.00.000

CANADA

CANADA	
1.00.000	1.00.000
1.00.000	1.00.000
1.00.000	1.00.000





U+HAUL

TRUCK SHARE 24/7

Mom's Attic

U+HAUL

Truck Share 24/7

Gentle-Ride Van

TRIMLINE FUEL \$SAVER
SAVES YOU MONEY

INFLATE TIRES TO 110 PSI COLD
FORD F-450 WHEEL INSTALLATION

1. Remove tire cap and air pressure indicator from tire.
2. Remove tire cap and air pressure indicator from tire.
3. Check and dry wheel hub and tire bead for any debris.
4. Apply tire sealant and inflate to the correct pressure.
5. Remove tire sealant and inflate to the correct pressure.
6. Remove tire cap and air pressure indicator from tire.
7. Check and dry wheel hub and tire bead for any debris.
8. Apply tire sealant and inflate to the correct pressure.
9. Remove tire sealant and inflate to the correct pressure.
10. Remove tire cap and air pressure indicator from tire.

FORWARD WHEELS: USE WHEELS TO 45 FT. LBS. TORQUE

Drives Like a Van.
Hauls Like a Truck.

UNDER 25,999 GROSS

Saving You Money On Gas
AERODYNAMIC CHASSIS SKIRTS

TRIMLINE FUEL \$AVER
SAVES YOU MONEY

INFLATE TIRES TO 110 PSI COLD
FORD F-650 WHEEL INSTALLATION

1. Remove corrosion, dirt, oil and grease from the mounting surfaces of wheels and surface of the steel perfectly wheel.
2. Check and dry wheel for oil or grease before use.
3. Apply assembly compound and install wheel on the mounting surface of the wheel.
4. Place wheel on the wheel.
5. Tighten wheel nuts.
6. Tighten wheel nuts.

UNDER 25,999 GP

























e Van

Money On Gas
ASSIS SKIRTS

TRIMLINE FUEL SAVER
SAVES YOU MONEY





IF YOU FIND YOURSELF STUCK IN DEEP SNOW OR MUD, TURN TRACTION CONTROL OFF.

Turning traction control off may be beneficial as it allows the wheels to spin.

Press TCS OFF button below to turn traction control off.

The light will now continuously illuminate when traction control is off.











LOADING INSTRUCTIONS
DO NOT EXCEED 50%
DO NOT EXCEED 50%
DO NOT EXCEED 50%

TYPICAL
FREIGHT
TRUCK
DECK
HEIGHT
50"

TYPICAL
FREIGHT
TRUCK
DECK
HEIGHT
50"

11

10

CRAFTSMAN
3300
3300 2500

DANGER
DO NOT extend or hold away while vehicle is in motion.
Failure to follow this warning could result in serious or fatal injury.

AL74169
PERM
CANADA
USA

ATTENTION
Check with Rental Center
and require a Safety Certificate
before a high-pressure hose is used.

ATTENTION
DO NOT use a high-pressure hose
to clean the vehicle or its components.
10,000 lbs. max.
DO NOT use a high-pressure hose
to clean the vehicle or its components.
DO NOT use a high-pressure hose
to clean the vehicle or its components.

Don't Forget Your Moving Supplies!

U-HAUL
DO NOT PACKAGING TAPE
DO NOT STRAPPING TAPE
MAXIMUM
SECURITY
TIE-DOWN ROPE

SAFETY-CADWIN HOOKUP
CHECK CHAINS AT EVERY FUEL AND FUEL STOP

ATTENTION
10,000 lbs. max.
DO NOT use a high-pressure hose
to clean the vehicle or its components.
DO NOT use a high-pressure hose
to clean the vehicle or its components.





MODEL M&P-16

SAFE

FIRE



SMITH & WESSON
SPRINGFIELD, MA
MADE IN U.S.A.
TT93874





Mom's Attic

CAUTION LOW OVERHANG
RETRACT 2021

8 8

9 9

12 12

MovingHelp

n





12

